

COR-IP5FISH

5MP FISH EYE NETWORK CAMERA with INFARED



FEATURES

- 1/2.9" Sony® Exmor Progressive CMOS
- 1.1mm IR Lens, 360° Angle of View
- Premium Components
- Dwarping Technology
- IR Range Up to 15 Feet
- IP64 Dust and Splash Proof Casing
- 2160(H)×2160(V) Resolution

SPECIFICATIONS

Resolution	5MP 2160(H)×2160(V)
Image Sensor	1/2.9" Sony® Exmor Progressive CMOS (6.82M pixels)
Min.Illumination	Color 0.01lux @ F1.2(AGC ON) ; B/W 0 lux @ IR ON
Shutter Time	Auto/Manual 1/5 ~ 1/20000s
Lens	1.1mm , Angle of view: 360°
F No.	F 2.0 ±5%
Day & Night	Auto switching infrared-cut filter (OSD on/off)
WDR	Digital
Video compression	H.265 / H.264
Video Bit Rate	8Kbps ~ 8Mbps
Video Streaming	3 individually adjustable streams
Frame Rate	Mainstream 5MP (2160×2160) 1520x1520,1080x1080 , 720x720 Substream 720x720,480x480,240x240 Mobilestream 480x480, 240x240
Image Settings	Image rotate, Saturation, Contrast, Hue, Brightness, Sharpness
BLC	Supported
ROI	Supported
Privacy Mask	Supported



Protocols	TCP/IP,IPv4v6,HTTP,DHCP,DNS, DDNS,RTP/RTSP,PPPoE, SMTP,NTP,UPnP,SNMP,HTTPS,FTP
Compatibility	ONVIF®, API, Cortex Plug&Play
Network Interface	RJ45 10M / 100M Ethernet interface
Illumination	3pcs (SMD)
IR range	Up to 15 feet (5 m)
SD storage	Yes, Micro SD
Alarm Trigger	Yes, Screw Terminal
Audio	Yes
Video Output	Yes
Reset System	Hardware reset button and software
PoE	Yes
Casing	IP64 Dust and Splash Proof
Power Supply	DC 12V / POE
Consumption	≤ 5W
Storage Temperature	-30~+60°C (-22~+140°F)
Operating Temperature	-30~+55°C (-22~+131°F)
Dimensions	Ø120 X 55mm (Ø4.72 X 2.16 inches)
Weight	Approximately .88 lbs (400g)

COR-IP5FISH

